

WELDMAX 350B

350B Black Thunder Series

DIGITAL DISPLAY

FOR AMPS, VOLTS, MATERIAL THICKNESS, WIRE FEED SPEED ADJUSTMENT

EASY TO USE

LABELED SWITCHES & EASY TURN DIALS

COMPLETE ¢ READY TO WELD

Key Features & Benefits

IGBT Inverter

æ

6

- Step-Less Amp / Volt Adjustment
- Thermal Overload Protected
- Fan Cooled
- Three Phase
- Generator Safe
- Gas / Gasless Capable
- 2/4 Step
- Mig / Stick

What's included in the box

- Weldmax 350B Heavy duty Inverter power source
- 4 metre Mig Torch with setup for Steel welding
- Earth Lead 10 Metre with heavy duty G-style clamp
- Argon Regulator with 3mtr gas Hose
- Drive Rollers to suit Steel & Stainless
- 3phase / 415V plug fitted 32A minimum
- Owners manual
- 3 year warranty
- Lifetime product support


TECHNICAL DATA



The 350B Black Thunder Series separate wire feeder Mig welders are heavy duty machines with unprecedented duty cycles. Featuring top end inverter technology and solid construction, they are built to last. Ideal for heavy fabrication, build-up and maintenance work. This package is a 350Amp machine, however there is also a 500Amp available if you need more power.

A complete industrial welding solution for medium and heavy industrial fabrication, including vehicle manufacture, truck body building, ship building, aluminium and stainless steel construction and the full range of steel fabrication.

350B Black Thunder Series			
3 Phase	400V	50/60Hz	
Power Input	KVA	17.5kVA	
		MMA/TIG	MIG/MAG
Uo	\vee	82V/12V	82V
Amp. Min –	А	10/5A – 350A	30A-350A
Amp. 60974-1	А	60%@350A 100%@290A	60%@350A 100%@290A
Aluminium	Ømm	_	0.8-2
Steel	Ømm	_	0.6-1.6
Flux core	Ømm	_	0.8-2
Stainless Steel	Ømm	_	0.8-2
Ø Electrode	Ømm	1.6-8.0	_
Electrode Type		6010-6011-6013-7018-Cast Iron-Aluminium	
Insulation	_	Н	
Protec. Degree	_	IP23S	
LxWxH	mm	1010x510x1070	
LxWxH	mm	Generator – 810x390x630	
Weight	kg	Generator – 45.00kg	



Add the correct accessories to your welding package to make your welding tasks more efficient.

OPTIONAL ACCESSORIES



Add a K4000 Gouging kit w/cable & lug hose P.N 50009/KIT



125VP



150VP



162T



204T DC



221 AC/DC



180



185



225C



225DP





250i



355





380i

ι



